

Window Treatment Elevation + Section View

Specification # (A) GR-400

Scale: NTS

Hilton

Guestroom Window Treatments (PTAC)
Hampton Inn - **Scenic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.



Date: April 28, 2025



A----- Painted **cornice**, ceiling mounted (8" high x 9" returns on each side), cornice to extend past window 12" on each side. Color: SW7009 Pearly White, satin finish.

B----- Traversing **sheer** drapery, center draw, 2-finger pleat, 160% fullness, 6" returns, 1" double bottom hem w/ chain weight to extend to 1/2" above PTAC Unit. Pattern: Delize / Domino 2

C----- 3/8" clear **baton**, 48" long, 48" AFF

D----- Traversing **blackout** drapery, center draw, 2-finger pleat, 160% fullness, 3" returns, 1" double bottom hem w/ chain weight to extend to 1/2" above PTAC Unit. Pattern: Dusk Select / SW7074 (COM)

E----- Window & Frame, by others

F----- PTAC Unit, by others

Window Treatment Elevation + Section View

Specification # (B) GR-400

Scale: NTS

Hilton

Guestroom Window Treatments (PTAC)
Hampton Inn - **Kinetic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.



Date: April 28, 2025



Window Treatment Elevation + Section View

Specification # (A) GR-400

Scale: NTS

Hilton

Guestroom Window Treatments (No PTAC)
Hampton Inn - **Scenic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (1) window and no PTAC (different HVAC system), length of drapery to be 1/2" AFF.



Date: April 28, 2025



Window Treatment Elevation + Section View

Specification # (B) GR-400

Scale: NTS

Hilton

Guestroom Window Treatments (No PTAC)
Hampton Inn - **Kinetic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (1) window and no PTAC (different HVAC system), length of drapery to be 1/2" AFF.



Date: April 28, 2025



Window Treatment Elevation + Section View

Specification # (A) GR-450

Scale: NTS

Hilton

Guestroom Window Treatments (One-way)
Hampton Inn - **Scenic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.



Date: April 28, 2025



A----- Painted **cornice**, ceiling mounted (8" high x 9" returns on each side), cornice to extend 6" past window on one side and 12" on side where drapery stacks. Color: SW7009 Pearly White, satin finish.

B----- Traversing **sheer** drapery, one-way draw, 2-finger pleat, 160% fullness, 6" returns, 1" double bottom hem w/ chain weight to extend to 1/2" above PTAC Unit. Pattern: Delize / Domino 2

C----- 3/8" clear **baton**, 48" long, 48" AFF

D----- Traversing **blackout** drapery, one-way draw, 2-finger pleat, 160% fullness, 3" returns, 1" double bottom hem w/ chain weight to extend to 1/2" above PTAC Unit. Pattern: Dusk Select / SW7074 (COM)

E----- Window & Frame, by others

F----- PTAC Unit, by others

Window Treatment Elevation + Section View

Specification # (B) GR-450

Scale: NTS

Hilton

Guestroom Window Treatments (One-way)
Hampton Inn - **Kinetic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.



Date: April 28, 2025



Window Treatment Elevation + Section View

Specification # (A) GR-400.ADA.MA

Scale: NTS

Hilton

ADA Guestroom Window Treatments (Manual)
Hampton Inn - **Scenic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.



Date: April 28, 2025



Window Treatment Elevation + Section View

Specification # (B) GR-400.ADA.MA

Scale: NTS

Hilton

ADA Guestroom Window Treatments (Manual)
Hampton Inn - **Kinetic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.



Date: April 28, 2025



Window Treatment Elevation + Section View

Specification # (A) GR-450.ADA.MA

Scale: NTS

Hilton

ADA Guestroom Window Treatments (Manual. One-way)
Hampton Inn - **Scenic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.



Date: April 28, 2025



Window Treatment Elevation + Section View

Specification # (B) GR-450.ADA.MA

Scale: NTS

Hilton

ADA Guestroom Window Treatments (Manual. One-way)
Hampton Inn - **Kinetic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.



Date: April 28, 2025



Window Treatment Elevation + Section View

Specification # (A) GR-400.ADA.MO

Scale: NTS

Hilton

ADA Guestroom Window Treatments (Motorized)
Hampton Inn - **Scenic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.



Date: April 28, 2025



Window Treatment Elevation + Section View

Specification # (B) GR-400.ADA.MO

Scale: NTS

Hilton

ADA Guestroom Window Treatments (Motorized)
Hampton Inn - **Kinetic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.



Date: April 28, 2025




- A**----- Painted **cornice**, ceiling mounted (8" high x 9" returns on each side), cornice to extend 6" past window on one side and 12" on side where drapery stacks. Color: SW7009 Pearly White, satin finish.
- B**----- Standard 120v **receptacle** (18" below top of drapery) & located behind drapery, where possible. Final location to be determined by GCEC based on framing requirements & methods.
- C**----- Traversing **sheer** drapery, one-way draw, 2-finger pleat, 160% fullness, 6" returns, 1" double bottom hem w/ chain weight to extend to 1/2" above PTAC Unit. Pattern: Lomani / Niebla Azul
- D**----- RF (Radio Frequency) 2-channel, **in-wall switch**. Mounting height to be in accordance with local building codes.
- E**----- Traversing **blackout** drapery, one-way draw, 2-finger pleat, 160% fullness, 3" returns, 1" double bottom hem w/ chain weight to extend to 1/2" above PTAC Unit. Pattern: Dusk Select / SW9141 (COM)
- F**----- Window & Frame, by others
- G**----- PTAC Unit, by others

Window Treatment Elevation + Section View

Specification # (A) GR-450.ADA.MO

Scale: NTS

<div><div>Hilton</div><div>ADA Guestroom Window Treatments (Motorized. One Way)</div><div>Hampton Inn - Scenic Scheme</div></div> <div></div>	<div>NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".</div> <div>**All finish approvals dependent on Hilton-reviewed physical samples.</div> <div>In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.</div>	<div></div> <div>Date: April 28, 2025</div>
<div>PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.</div> <div>CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.</div>		




- A**----- Painted **cornice**, ceiling mounted (8" high x 9" returns on each side), cornice to extend 6" past window on one side and 12" on side where drapery stacks. Color: SW7009 Pearly White, satin finish.
- B**----- Standard 120v **receptacle** (18" below top of drapery) & located behind drapery, where possible. Final location to be determined by GCEC based on framing requirements & methods.
- C**----- Traversing **sheer** drapery, one-way draw, 2-finger pleat, 160% fullness, 6" returns, 1" double bottom hem w/ chain weight to extend to ½" above PTAC Unit. Pattern: Delize / Domino
- D**----- RF (Radio Frequency) 2-channel, **in-wall switch**. Mounting height to be in accordance with local building codes.
- E**----- Traversing **blackout** drapery, one-way draw, 2-finger pleat, 160% fullness, 3" returns, 1" double bottom hem w/ chain weight to extend to ½" above PTAC Unit. Pattern: Dusk Select / SW7074 (COM)
- F**----- Window & Frame, by others
- G**----- PTAC Unit, by others

Window Treatment Elevation + Section View

Specification # (B) GR-450.ADA.MO

Scale: NTS

<div><div>Hilton</div><div>ADA Guestroom Window Treatments (Motorized. One Way) Hampton Inn - Kinetic Scheme</div><div></div></div>	<div>NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".</div> <div>**All finish approvals dependent on Hilton-reviewed physical samples.</div> <div>In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.</div>	<div></div> <div>Date: April 28, 2025</div>
<div>PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.</div> <div>CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.</div>		



Window Treatment Elevation + Section View

Specification # (A&B) PA-400

Scale: NTS

Hilton

FOH Window Treatments
 Lobby/ Dining Area - **Scenic & Kinetic Schemes**




PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.

**All physical finish samples must be approved by Hilton A, D & C.



Date: April 28, 2025



Window Treatment Elevation + Section View

Specification # (A&B) PA-401

Scale: NTS

<div data-bbox="65 1227 210 1279" data-label="Image"> </div> <div data-bbox="224 1213 938 1284" data-label="Text"> <p>BOH & Breakroom Window Treatments Back of House (BOH) - Scenic & Kinetic Schemes</p> </div> <div data-bbox="959 1214 1085 1292" data-label="Image"> </div>	<p>**All physical finish samples must be approved by Hilton A, D & C.</p>	
<p>PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.</p> <hr/> <p>CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.</p>		<p>Date: April 28, 2025</p>



Hampton Inn

KINETIC SCHEME

SCENIC SCHEME

PA-400 & PA-401


Public Areas: Lobby/Dining & Back of House

Specifications:

Pattern Name:	Salvador
Color Name:	Gray
Fabric Content:	100% Polyester
Fabric Width:	110"
Repeat:	0.00"H & 0.00"V
Country of Origin:	China
Fire Rating:	Pass NFPA 701
Fabric Construction:	Sheer
Fabric Care:	Water or Solvent-based Spot Clean

****All physical finish samples must be approved by Hilton A, D & C.**



April 28, 2025




Window Treatment Elevation + Section View

Specification # (A) PA-402

Scale: NTS

<div><div>Hilton</div><div>Optional Window Treatments Alternate Meeting Room - Scenic Schemes</div></div> <div></div>	<div>NOTE: For rooms that exceed a ceiling height of 8'-0", top of cornice to be wall mounted at 8'-0" AFF.</div> <div>**All finish approvals dependent on Hilton-reviewed physical samples.</div>	<div></div> <div>Date: April 28, 2025</div>
<div>PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.</div> <div>CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.</div>		



Window Treatment Elevation + Section View

Specification # (B) PA-402

Scale: NTS

Hilton

Optional Window Treatments
Alternate Meeting Room - **Kinetic Schemes**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.

NOTE: For rooms that exceed a ceiling height of 8'-0", top of cornice to be wall mounted at 8'-0" AFF.

**All finish approvals dependent on Hilton-reviewed physical samples.



Date: April 28, 2025