

Window Treatment Elevation + Section View

Specification # (A) GR-400

Scale: NTS

Hilton

Guestroom Window Treatments (PTAC)
Hampton Inn - **Scenic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.





Date: January 4, 2024



Window Treatment Elevation + Section View

Specification # (B) GR-400 Scale: NTS

<div data-bbox="73 1219 247 1284"></div> <div data-bbox="268 1219 814 1284">Guestroom Window Treatments (PTAC) Hampton Inn - Kinetic Scheme</div> <div data-bbox="894 1208 1041 1295"></div> <div data-bbox="67 1331 1092 1438"><p>PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.</p></div> <div data-bbox="67 1469 1092 1523"><p>CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.</p></div>	<div data-bbox="1136 1219 1497 1523"><p>NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".</p><p>*All finish approvals dependent on Hilton-reviewed physical samples.</p><p>In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.</p></div>	<div data-bbox="1640 1268 1927 1382"></div> <div data-bbox="1543 1474 1795 1502"><p>Date: January 4, 2024</p></div>
--	---	---



Window Treatment Elevation + Section View

Specification # (A) GR-400

Scale: NTS

Hilton

Guestroom Window Treatments (No PTAC)
Hampton Inn - **Scenic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (1) window and no PTAC (different HVAC system), length of drapery to be ¼" AFF.



Date: January 4, 2024



Window Treatment Elevation + Section View

Specification # (B) GR-400

Scale: NTS

Hilton

Guestroom Window Treatments (No PTAC)
Hampton Inn - **Kinetic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (1) window and no PTAC (different HVAC system), length of drapery to be 1/4" AFF.



Date: January 4, 2024



Window Treatment Elevation + Section View

Specification # (A) GR-450

Scale: NTS

Hilton

Guestroom Window Treatments (One-way)
Hampton Inn - **Scenic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.



Date: January 4, 2024



Window Treatment Elevation + Section View

Specification # (B) GR-450

Scale: NTS

Hilton

Guestroom Window Treatments (One-way)
Hampton Inn - **Kinetic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.



Date: January 4, 2024



Window Treatment Elevation + Section View

Specification # (A) GR-400.ADA.MA

Scale: NTS

Hilton

ADA Guestroom Window Treatments (Manual)
Hampton Inn - **Scenic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.



Date: January 4, 2024



Window Treatment Elevation + Section View

Specification # (B) GR-400.ADA.MA

Scale: NTS

Hilton

ADA Guestroom Window Treatments (Manual)
Hampton Inn - **Kinetic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.



Date: January 4, 2024



Window Treatment Elevation + Section View

Specification # (A) GR-450.ADA.MA

Scale: NTS



ADA Guestroom Window Treatments (Manual. One-way)
Hampton Inn - **Scenic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.



Date: January 4, 2024



Window Treatment Elevation + Section View

Specification # (B) GR-450.ADA.MA

Scale: NTS



ADA Guestroom Window Treatments (Manual. One-way)
Hampton Inn - **Kinetic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.



Date: January 4, 2024



Window Treatment Elevation + Section View

Specification # (A) GR-400.ADA.MO

Scale: NTS

Hilton

ADA Guestroom Window Treatments (Motorized)
Hampton Inn - **Scenic Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.


NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".

**All finish approvals dependent on Hilton-reviewed physical samples.

In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.



Date: January 4, 2024




Window Treatment Elevation + Section View

Specification # (B) GR-400.ADA.MO

Scale: NTS




<div data-bbox="73 1218 247 1284"></div> <div data-bbox="268 1218 924 1284"><p>ADA Guestroom Window Treatments (Motorized) Hampton Inn - Kinetic Scheme</p></div> <div data-bbox="957 1206 1104 1295"></div> <div data-bbox="67 1331 1092 1438"><p>PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.</p></div> <div data-bbox="67 1468 1092 1523"><p>CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.</p></div>	<div data-bbox="1150 1237 1482 1307"><p>NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".</p></div> <div data-bbox="1150 1333 1457 1380"><p>**All finish approvals dependent on Hilton-reviewed physical samples.</p></div> <div data-bbox="1150 1404 1482 1498"><p>In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.</p></div>	<div data-bbox="1640 1268 1925 1380"></div> <div data-bbox="1543 1476 1795 1503"><p>Date: January 4, 2024</p></div>
--	---	---




Window Treatment Elevation + Section View

Specification # (A) GR-450.ADA.MO

Scale: NTS



<div data-bbox="46 1192 1113 1312"><div></div><div><div>ADA Guestroom Window Treatments (Motorized. One Way)</div><div>Hampton Inn - Scenic Scheme</div></div><div></div></div> <div data-bbox="46 1312 1113 1554"><p>PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.</p><p>-----</p><p>CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.</p></div>	<div data-bbox="1113 1192 1520 1554"><p>NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".</p><p>**All finish approvals dependent on Hilton-reviewed physical samples.</p><p>In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.</p></div>	<div data-bbox="1520 1192 2053 1554"><div></div><div>Date: January 4, 2024</div></div>
--	---	---



Window Treatment Elevation + Section View

Specification # (B) GR-450.ADA.MO Scale: NTS

<div data-bbox="46 1192 1113 1312"><div></div><div>ADA Guestroom Window Treatments (Motorized. One Way) Hampton Inn - Kinetic Scheme</div><div></div></div> <div data-bbox="46 1312 1113 1554"><p>PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.</p><p>-----</p><p>CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.</p></div>	<div data-bbox="1113 1192 1520 1554"><p>NOTE: For guestrooms that exceed a ceiling height of 96", top of cornice to be wall mounted at 96".</p><p>**All finish approvals dependent on Hilton-reviewed physical samples.</p><p>In rooms with (2) windows and PTAC at only one window, length of drapery to be same short length at both windows based on height of PTAC.</p></div>	<div data-bbox="1520 1192 2053 1554"><div></div><div>Date: January 4, 2024</div></div>
---	---	--



Window Treatment Elevation + Section View

Specification # (A&B) PA-400

Scale: NTS



FOH Window Treatments
 Lobby/ Dining Area - **Scenic & Kinetic Schemes**




PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.

**All physical finish samples must be approved by Hilton A, D & C.






Date: January 4, 2024




Window Treatment Elevation + Section View

Specification # (A&B) PA-401

Scale: NTS

 BOH & Breakroom Window Treatments Back of House (BOH) - Scenic & Kinetic Schemes 	<p>**All physical finish samples must be approved by Hilton A, D & C.</p>	
<p>PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.</p> <hr/> <p>CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.</p>		<p>Date: January 4, 2024</p>



Hampton Inn

KINETIC SCHEME

SCENIC SCHEME

PA-400 & PA-401


Public Areas: Lobby/Dining & Back of House

Specifications:

Pattern Name:	Salvador
Color Name:	Gray
Fabric Content:	100% Polyester
Fabric Width:	110"
Repeat:	0.00"H & 0.00"V
Country of Origin:	China
Fire Rating:	Pass NFPA 701
Fabric Construction:	Sheer
Fabric Care:	Water or Solvent-based Spot Clean

****All physical finish samples must be approved by Hilton A, D & C.**



January 4, 2024




Window Treatment Elevation + Section View

Specification # (A) PA-402

Scale: NTS

<div><div>Hilton</div><div>Optional Window Treatments Alternate Meeting Room - Scenic Schemes</div></div> <div></div>	<div><p>NOTE: For rooms that exceed a ceiling height of 8'-0", top of cornice to be wall mounted at 8'-0" AFF.</p><p>**All finish approvals dependent on Hilton-reviewed physical samples.</p></div>	<div></div> <div>Date: January 4, 2024</div>
<div><p>PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.</p><p>-----</p><p>CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.</p></div>		



Window Treatment Elevation + Section View

Specification # (B) PA-402 Scale: NTS

<div><div>Hilton</div><div>Optional Window Treatments Alternate Meeting Room - Kinetic Schemes</div></div> <div></div>	<div>NOTE: For rooms that exceed a ceiling height of 8'-0", top of cornice to be wall mounted at 8'-0" AFF.</div> <div>**All finish approvals dependent on Hilton-reviewed physical samples.</div>	<div></div> <div>Date: January 4, 2024</div>
<div>PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.</div> <div>CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.</div>		