





# Window Treatment Elevation + Section View

Specification # CG-650

Scale: NTS

<div data-bbox="73 1214 205 1287"><b>IHG</b> HOTELS &amp; RESORTS</div> <div data-bbox="268 1214 819 1287">Typical Guestroom Window Treatments Candlewood Suites - <b>Rust Scheme</b></div> <div data-bbox="873 1208 1062 1287"> CANDLEWOOD SUITES</div> <div data-bbox="67 1328 1092 1438"><p><b>PRODUCT DISCLAIMER:</b> Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.</p></div> <div data-bbox="67 1466 1092 1523"><p><b>CONFIDENTIAL:</b> All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.</p></div>	<div data-bbox="1150 1235 1446 1287"><p>Standard baton length to be max 36" AFF.</p></div> <div data-bbox="1150 1304 1484 1385"><p>ADA Rooms: Will be provided with an ADA baton with 4" loop, max 48" AFF.</p></div> <div data-bbox="1150 1401 1461 1507"><p>NOTE: For guestrooms that exceed a ceiling height of 108", top of cornice to be wall mounted at 108" AFF.</p></div>	<div data-bbox="1640 1268 1923 1382"> F A B T E X</div> <div data-bbox="1541 1474 1782 1502"><p>Date: August 17, 2023</p></div>
--	---	--





# Window Treatment Elevation + Section View

Specification # CG-600

Scale: NTS

<div><div>IHG<sup>®</sup> HOTELS &amp; RESORTS</div><div>Typical Guestroom Window Treatments Candlewood Suites - <b>Rust Scheme</b></div><div>CANDLEWOOD SUITES</div></div>	<div>Standard baton length to be max 36" AFF.</div> <div>ADA Rooms: Will be provided with an ADA baton with 4" loop, max 48" AFF.</div> <div>NOTE: For guestrooms that exceed a ceiling height of 108", top of cornice to be wall mounted at 108" AFF.</div>	<div><div>FABTEX</div><div>Date: August 17, 2023</div></div>
<div><div><b>PRODUCT DISCLAIMER:</b> Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.</div><div><b>CONFIDENTIAL:</b> All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.</div></div>		








# Window Treatment Elevation + Section View

Specification # CG-650

Scale: NTS



<div><div>IHG<sup>®</sup> HOTELS &amp; RESORTS</div><div>Typical Guestroom Window Treatments Candlewood Suites - <b>Slate Scheme</b></div><div>CANDLEWOOD SUITES</div></div>	<div>Standard baton length to be max 36" AFF.</div> <div>ADA Rooms: Will be provided with an ADA baton with 4" loop, max 48" AFF.</div> <div>NOTE: For guestrooms that exceed a ceiling height of 108", top of cornice to be wall mounted at 108" AFF.</div>	<div> F A B T E X</div>
<div><div><b>PRODUCT DISCLAIMER:</b> Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.</div><div>-----</div><div><b>CONFIDENTIAL:</b> All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.</div></div>		<div>Date:   August 17, 2023</div>




# Window Treatment Elevation + Section View

Specification # CG-600

Scale: NTS

<div><div>IHG<sup>®</sup> HOTELS &amp; RESORTS</div><div>Typical Guestroom Window Treatments Candlewood Suites - <b>Slate Scheme</b></div><div></div></div>	<div>Standard baton length to be max 36" AFF.</div> <div>ADA Rooms: Will be provided with an ADA baton with 4" loop, max 48" AFF.</div> <div>NOTE: For guestrooms that exceed a ceiling height of 108", top of cornice to be wall mounted at 108" AFF.</div>	<div></div> <div>Date: August 17, 2023</div>
<div><b>PRODUCT DISCLAIMER:</b> Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.</div> <div><b>CONFIDENTIAL:</b> All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.</div>		



## Window Treatment Elevation + Section View

Specification # CP-600

Scale: NTS

**IHG**  
HOTELS & RESORTS

Public Area Window Treatments  
Candlewood Suites

  
CANDLEWOOD  
SUITES

**PRODUCT DISCLAIMER:** Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

**CONFIDENTIAL:** All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.

  
F A B T E X

Date: August 17, 2023