

Window Treatment Elevation + Section View

Specification # EXG2-6011a (Outside Mount)

Scale: NTS



Typical Guestroom Window Treatments
Holiday Inn Express - **Gold Scheme**




PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.





Date: December 4, 2023




Window Treatment Elevation + Section View

Specification # EXG2-601.1b (Inside Mount)

Scale: NTS

<div><div>IHG[®] HOTELS & RESORTS</div><div>Typical Guestroom Window Treatments Holiday Inn Express - Gold Scheme</div><div></div></div>		<div></div> <div>Date: December 4, 2023</div>
<p>PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.</p> <p>-----</p> <p>CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.</p>		



Window Treatment Elevation + Section View

Specification # EXG2-6011c (Split Mount)

Scale: NTS



Typical Guestroom Window Treatments
Holiday Inn Express - **Gold Scheme**




PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Date: December 4, 2023



- A** Wall mounted laminate **cornice**,
Finish: Wilsonart #8220 French Pear
- B** **Sheer** roller shade (front)
Pattern: Salvador / White
- C** Printed **blackout** roller shade (back)
Pattern: Prism / Citrine
- D** Leviton #5657-2 Momentary
Contact, SPDT Center Off switch &
face plate to be provided by E.C.
- Switch location & mounting height
to be in accordance with all local &
accessibility building codes.
- E** Window, sill & frame, by others
- F** 2 pc-**side** & 1-pc **sill channel**, white,
mounted to face of wall
- G** PTAC unit, by others

Brand Notes:

1) A hardwired switch (momentary) is required over a battery operated remote, for a new build property and those properties that can pull wiring to the window location. For hardwired roller shades, a double switch box is required (one for sheer & one for blackout) that must have a momentary switch and wired to a junction box that is located in the wall above the window. Coordinate with electrical and architectural drawings for voltage requirements; Amperage requirements and wiring infrastructure to be verified and approved by licensed electrical contractor. For rooms where a junction box cannot be installed above the window due to header, architect/ designer to coordinate extra cornice length required with roller shade manufacturer.

2) Electrician to coordinate, with General contractor of project, when to receive the required electrical whip and s.o. connectors from Fabtex, Inc. to wire during rough-in stage for hardwired motorized shades. Electrician to provide Arlington TVBS505 2G recessed box (or equal to) and cover plate.

General Installation Notes:

- 1) Wiring method for single 4 wire motors. Amperage requirements and wiring infrastructure to be verified and approved by licensed electrical contractor (E.C.)
- 2) Switch shown is based on a Leviton #5657-2 Momentary Contact, SPDT, Center Off.
- 3) Electrical box, switch, strain relief, wire nuts, & additional cord beyond what is supplied with the motor are to be provided and installed by General or Electrical Contractor. Splicing the motor power cord is not recommended.

Window Treatment Elevation

Specification # EXG2-604.1 (Outside Mount - Hardwired)

Scale: NTS



ADA Guestroom Window Treatments
Holiday Inn Express - **Gold Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Motor Specs:

ML-350PW Motor

- 120VAC @ 60Hz
- 6Nm Torque
- 33 RPM
- 0.97 Amps
- 113 Watts
- Max. Whip Length: 8 meters (26.25ft)



Date: December 4, 2023



Window Treatment Elevation + Section View

Specification # EXG2-605.1 (**Drapery Option**)

Scale: NTS



Typical Guestroom Window Treatments
Holiday Inn Express - **Gold Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.


CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.

**Hardware to be white, double ceiling mounted tracks, with white fiberglass batons (or ADA compliant batons with loop ring).

NOTE: Drapery option to be utilized only when roller shade specification cannot be used due to existing site conditions.



Date: December 4, 2023



Window Treatment Elevation + Section View

Specification # EXG2-6011a (Outside Mount)

Scale: NTS



Typical Guestroom Window Treatments
Holiday Inn Express - **Orange Scheme**




PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.






Date: December 4, 2023



Window Treatment Elevation + Section View

Specification # EXG2-601.1b (Inside Mount) Scale: NTS

<div><div>IHG[®] HOTELS & RESORTS</div><div>Typical Guestroom Window Treatments Holiday Inn Express - Orange Scheme</div><div></div></div>	<div></div>	<div></div>
<div><p>PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.</p><p>-----</p><p>CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.</p></div>		<div>Date: December 4, 2023</div>



Window Treatment Elevation + Section View

Specification # EXG2-601.1c (Split Mount)

Scale: NTS



Typical Guestroom Window Treatments
Holiday Inn Express - **Orange Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Date: December 4, 2023



- A** Wall mounted laminate **cornice**,
Finish: Wilsonart #8220 French Pear
- B** **Sheer** roller shade (front)
Pattern: Salvador / White
- C** Printed **blackout** roller shade (back)
Pattern: Prism / Sunstone
- D** Leviton #5657-2 Momentary
Contact, SPDT Center Off switch &
face plate to be provided by E.C.
- Switch location & mounting height
to be in accordance with all local &
accessibility building codes.
- E** Window, sill & frame, by others
- F** 2 pc-**side** & 1-pc **sill channel**, white,
mounted to face of wall
- G** PTAC unit, by others

Brand Notes:

1) A hardwired switch (momentary) is required over a battery operated remote, for a new build property and those properties that can pull wiring to the window location. For hardwired roller shades, a double switch box is required (one for sheer & one for blackout) that must have a momentary switch and wired to a junction box that is located in the wall above the window. Coordinate with electrical and architectural drawings for voltage requirements; Amperage requirements and wiring infrastructure to be verified and approved by licensed electrical contractor. For rooms where a junction box cannot be installed above the window due to header, architect/ designer to coordinate extra cornice length required with roller shade manufacturer.

2) Electrician to coordinate, with General contractor of project, when to receive the required electrical whip and s.o. connectors from Fabtex, Inc. to wire during rough-in stage for hardwired motorized shades. Electrician to provide Arlington TVBS505 2G recessed box (or equal to) and cover plate.

General Installation Notes:

- 1) Wiring method for single 4 wire motors. Amperage requirements and wiring infrastructure to be verified and approved by licensed electrical contractor (E.C.)
- 2) Switch shown is based on a Leviton #5657-2 Momentary Contact, SPDT, Center Off.
- 3) Electrical box, switch, strain relief, wire nuts, & additional cord beyond what is supplied with the motor are to be provided and installed by General or Electrical Contractor. Splicing the motor power cord is not recommended.

Window Treatment Elevation

Specification # EXG2-604.1 (Outside Mount - Hardwired)

Scale: NTS



ADA Guestroom Window Treatments
Holiday Inn Express - **Orange Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Motor Specs:

ML-350PW Motor

- 120VAC @ 60Hz
- 6Nm Torque
- 33 RPM
- 0.97 Amps
- 113 Watts
- Max. Whip Length: 8 meters (26.25ft)



Date: December 4, 2023



Window Treatment Elevation + Section View

Specification # EXG2-605.1 (**Drapery Option**)

Scale: NTS



Typical Guestroom Window Treatments
Holiday Inn Express - **Orange Scheme**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.

**Hardware to be white, double ceiling mounted tracks, with white fiberglass batons (or ADA compliant batons with loop ring).

NOTE: Drapery option to be utilized only when roller shade specification cannot be used due to existing site conditons.



Date: December 4, 2023



- A** Bronze metal **fascia**
- B** **Sheer** roller shade (front)
Pattern: Salvador / White
- C** Printed **blackout** roller shade (back)
Pattern: RS Stanford / Light Grey
- D** Manual operation with continuous beaded **pull chain** & safety 3 **hold down device**.
- E** 2 pc-**side** & 1-pc **sill channel**, bronze
- F** Window & frame, by others

Window Treatment Elevation

Specification # EXP2-601.1 (Inside Mount)

Scale: NTS



Public Area Window Treatments
Holiday Inn Express - **Meeting Room**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Date: December 4, 2023



- A** Bronze metal **fascia**
- B** **Sheer** roller shade
Pattern: Evolution Stripe / White
- C** Manual operation with continuous beaded **pull chain** & safety 3 **hold down device**.
- D** Window & frame, by others

Window Treatment Elevation

Specification # EXP2-602.1 (Inside Mount)

Scale: NTS



Public Area Window Treatments
Holiday Inn Express



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Date: December 4, 2023



- A** Traversing **sheer drapery**, center draw, french pleated, 200% fullness, ceiling mounted to extend to ½" above PTAC unit (or ½" AFF where no PTAC exists), 1-½" double side hems, 4" double fold bottom hem.
Fabric: Rays / White
- B** Clear acrylic batons, front mounted, 4'-0" long and 54" AFF.
- C** Window & frame, by others

Window Treatment Elevation

Specification # EXP2-603.1

Scale: NTS



Public Area Window Treatments
Holiday Inn Express - **Renovation**



PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.



Date: December 4, 2023