



ROLLER SHADE

Switch/Remote

Robust and built to last, these switch and remote options pair with your Motolin™ motors to provide many, trouble-free years of service. Perfect for ADA rooms.



RECESSED (IN-WALL) SWITCH

These are mounted into the wall via a standard junction box or a low voltage cut-in ring (recommended). No wiring is needed as it controls the shade via radio frequency. Requires two AAA batteries.



SKU#

ML-541RS (White)
ML-541RS-B (Black)



SKU#

ML-542RS (White)
ML-542RS-B (Black)



SKU#

ML-543RS (White)
ML-543RS-B (Black)

Motor compatibility:

- ML-250B
- ML-350B
- ML-350F

HANDHELD REMOTE

This needs no wiring as it controls the shades via radio frequency. Requires a single coin cell battery (CR2450, DL2450, ECR2450, BR2450, BR2450-1W, CR2450N, KCR2450, LM2450 & 5029LC).

Motor compatibility: ML-250B, ML-350B, ML-350F



SKU#
ML-651RS (White)
ML-651RS-B (Black)



SKU#
ML-652RS (White)
ML-652RS-B (Black)



SKU#
ML-653RS (White)
ML-653RS-B (Black)



Comes with a wall cradle for optional wall mounting. The remote magnetically attaches to the cradle. The cradle can be screwed to the wall.


HARDWIRED ROCKER SWITCH

Leviton #5657-2 Momentary Contact, SPDT Center Off Switch & Face Plate is **not** provided by Fabtex.

Motor compatibility: ML-350PW



Single Roller Shade



Dual Roller Shade

Technical Info

Max. Amperage: 12 Amps

HP Rating: 1/2 HP - 120V, 2HP-240V-277V

Self Grounding

120/277 Volt

White

CSA C22.2 NO. 111: FILE #152105

UL STANDARD: UL 20

ANSI: C-73

NOM: 057

NEMA: WD-1 & WD-6