

Window Treatment Elevation + Section View

Specification # NRG-600 (Typical) Specification # NRG-601 (ADA)

Image: Hotels & Resorts Typical Guestroom Window Treatments Warm Scheme Image: Hotel Scheme	NRG-600: Standard baton length to be max 36" AFF. NRG-601: ADA Rooms will be provided with a baton with 4" loop, max 48" AFF. Motorized options available with 110V plug-in motor controlled with RF wall switch. NOTE: For guestrooms that exceed a ceiling height of 108", top of cornice to be wall mounted at 108" AFF.	FABTEX
PRODUCT DISCLAIMER : Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.		
<u>CONFIDENTIAL</u> : All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner		Date: January 17, 2024



Window Treatment Elevation + Section View

Specification # NRG-600 (Typical) Specification # NRG-601 (ADA)

HHG HOTELS & RESORTS	Guestroom Window Treatments cheme	Garner An IHG HOTEL	NRG-600: Standard baton length to be max 36" AFF. NRG-601: ADA Rooms will be	
PRODUCT DISCLAIMER : Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.		provided with a baton with 4" loop, max 48" AFF. Motorized options available with 110V plug-in motor controlled with RF wall switch. NOTE: For guestrooms that exceed	FABTEX	
	disclosed in this document are proprietary to Fa nce and must not replicate or reveal this inform			Date: January 17, 2024



Painted cornice, wall-mounted, 12"H x 6" returns. Finish: to match SW 7005 Pure White.
 Traversing sheer drapery, center draw, pinch pleated, 200% fullness, ceiling mounted, 4" overlap, 1½" side hem, 1" double bottom hem to extend to ½" AFF. Fabric: Radcliff / Ivory
 White batons, front mounted, 4'-0" long.
 Window & frame, by others

Window Treatment Elevation

Specification # NRP-600

 Willie Area Window Treatments Garner - Lobby / Dining Area
 Gener

 PRODUCT DISCLAIMER: Fabtex is a manufacturer of commercial products that require installation by a licensed contractor. All information shown is for schematic purposes and to aid coordination amongst trades. All wiring, connections, means and methods is to be performed by others in strict adherence with all federal, state and local building codes.

 CONFIDENTIAL: All materials disclosed in this document are proprietary to Fabtex, Inc. The holder agrees to maintain it in confidence and must not replicate or reveal this information in any manner.





Window Treatment Elevation

Specification # NRP-606

Weight of the two t